

## HKI 4-04 4-way HDMI-IP-Encoder | basic line



- ✓ For cost-efficient streaming applications
- ✓ 4 x HDMI in 4 x SPTS
- ✓ H.264 encoding
- ✓ Configuration via Web-GUI


### Order information

Type	HKI 4-04
Order no.	HKI00404
GTIN	7611682400755
PE	1
VE	1
EU customs tariff number	85432000

### Technical data

Inputs	
Connector	4 × HDMI
Video resolution	1080_25p   1080_50p   1080_25i   720_50p
IP output	
Supported transport protocols	UDP
Bit rate	2 ... 19 Mbit/s
Audio codecs	AAC, MPEG
Video codecs	H.264
Interfaces	
Ethernet connectors	2 × RJ-45
Ethernet standards	IEEE 802.3, 100 Base-T @ Control IEEE 802.3, 1000 Base-T / 1 GbE @ DATA
Supported configuration protocols	HTTP
General	
Operating temperature range (acc. to EN 60065)	-10°C...+45°C
Operating voltage	12 VDC
Power consumption	15 W
Dimensions (W × H × D) appr.	135 × 44 × 205 mm
Weight	0.85 kg
External accessories	
Switching power supply	100...240 V/50...60 Hz   12 VDC/2.0 A

### Example of use





## Suitable products

HKZ 1-01 Mounting brackets for 19" installation